

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Rodney Bullard Operator Well No.: O.D. Stockley #201

LOCATION: Elevation: 1434'GPS Quadrangle: Newton
District: Henry County: Clay
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL XXX GAS water inj.

*easting 0487632
northing 4266000*

Company Triad Hunter
126 Putnam St.
Marietta Ohio 45750

Coal Operator N.A.
or Owner _____

Agent Kim Arnold
Permit Issued Date 5-8-14

Coal Operator _____
or Owner _____

Received
Office of Oil & Gas

AUG 27 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Clay ss:

Rickey Duckworth and Robert Stewart being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 16 day of July, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
cement	2446	2196	1480' of 4 1/2	965
cement	1530	1430		
cement	675	575		
cement	100	0		

Description of monument: 5 in. pipe with API numbers on plate
said well was completed on the 29 day of July, 2014.

and that the work of plugging and filling

And further deponents saith not. Rickey Duckworth


Robert Stewart

Sworn and subscribe before me this 4 day of 8, 2014

My commission expires: 10-25-2023

Brian Marks
Notary Public

*D. & Not Witness 8/27/14
all plugs*



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. & VICKIE E. LUCAS
Lease or Property Owner
85 EVANS RUN RD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5355
Well No.
LUCAS, WILLIAM C. & VICKIE E.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]* 7-1-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of April, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 217'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 217' to 1002'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 896' to 905'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1002' to 1762'. Left 81' of 8 5/8" casing in the hole from 1306' to 1387'.		16" Conductor 8 5/8" Casing	0' 0'	20' 81'
Cemented hole from 1762' back to surface as follows: From 1762' to 1105' with 260 sacks of Expandable Cement. From 1105' to 796' with 150 sacks of Thixotropic Cement with green dye. From 796' back to the Surface with 260 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
Coal Seams		Description of Monument		
Pittsburgh	(896' - 905')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 18th day of April, 2014


And further deponents saith not.

Mark Wilson
Mark Wilson
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 30th day of June, 2014

[Signature]
Notary Public

My commission expires: 08/16/17



Permit No. 47-049-02294-P
Well No. 5355

Received
Office of Oil & Gas
AUG 26 2014

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Mountaineer Power Plant Operator Well No.: MW-3

LOCATION: Elevation: 587.12 Quadrangle: New Haven
District: Graham County: Mason
Latitude: 0 Feet South of 38 Deg. 58 Min. 33.23 Sec.
Longitude: 0 Feet West of -81 Deg. 56 Min. 16.95 Sec.

Well Type: OIL _____ GAS _____ Other: Deep Monitoring Well

Company Appalachian Power Company
dba American Electric Power
700 Morrison Rd, Gahanna OH 43230

Coal Operator No coal interests with declaration
or Owner _____

Agent Richard D. Thompson
Permit Issued Date April 15, 2014

Coal Operator No coal interests with declaration
or Owner _____

Received
Office of Oil & Gas

AUG 25 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Mason ss:

Caitlin McNeil and H. James Holley II being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 4 day of June, 2014 and the well was plugged and filled in the following manner:

Description	Type	From	To	Casing Pulled	Casing Left
Cement Plug 1	50/50 Poz Cement	8,000	7,700	None	7,300 - 8,335 ft., 4-1/2" Liner
Mechanical Retainer	4-1/2" WFT PCR Mec Set	7,700	7,700	None	7,300 - 8,335 ft., 4-1/2" Liner
Cement Plug 2	50/50 Poz Cement	7,700	6,995	None	7,300 - 8,335 ft., 4-1/2" Liner
Mechanical Retainer	7-5/8" WFT PCR Mec Set	6,980	6,980	None	7,300 - 8,335 ft., 4-1/2" Liner
Gel Spacer 1	6% Bentonite Gel	6,980	2,600	None	7,300 - 8,335 ft., 4-1/2" Liner
Cement Plug 3	Class A Cement	2,600	2,405	2,602 ft. 7-5/8" Casing	2,602 - 7,397 ft., 7-5/8" Casing
Gel Spacer 2	6% Bentonite Gel	2,405	1,870	2,602 ft. 7-5/8" Casing	2,602 - 7,397 ft., 7-5/8" Casing
Cement Plug 4	Class A Cement	1,870	1,770	None	0 - 1,269 ft., 10-3/4" Casing
Mechanical Retainer	10-3/4" WFT PCR Mec Set	1,770	1,770	None	0 - 1,269 ft., 10-3/4" Casing
Cement Plug 5	Class A Cement	1,770	1,667	None	0 - 1,269 ft., 10-3/4" Casing
Gel Spacer 3	6% Bentonite Gel	1,667	1,116	None	0 - 1,269 ft., 10-3/4" Casing
Cement Plug 6	Class A Cement	1,116	0	None	0 - 1,269 ft., 10-3/4" Casing

*True
Need to be
Archived
JS*

Description of monument: Steel Subsurface Plate and that the work of plugging and filling said well was completed on the 23 day of July, 2014

And further deponents saith not.

Sworn and subscribe before me this 23 day of July, 2014

My commission expires: 11/10/22

Christy McDonald
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

Jamie Stevens

Title: Inspector 8/16/2014

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Mountaineer Power Plant Operator Well No.: AEP-2

LOCATION: Elevation: 587.12 Quadrangle: New Haven
District: Graham County: Mason
Latitude: 0 Feet South of 38 Deg. 58 Min. 33.49 Sec.
Longitude: 0 Feet West of -81 Deg. 56 Min. 16.99 Sec.

Received
Office of Oil & Gas
AUG 25 2014

Well Type: OIL _____ GAS _____ OTHER: Deep Class V CO2 Injection Well

Company Appalachian Power Company
dba American Electric Power
700 Morrison Rd, Gahanna OH 43230

Coal Operator No coal interests with declaration
or Owner _____

Agent Richard D. Thompson
Permit Issued Date 6/23/2014

Coal Operator No coal interests with declaration
or Owner _____

Received
AUG 4 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Mason ss:

Office of Oil and Gas
WV Dept. of Environmental Protection

H. James Holley II and Caitlin McNeil being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 25 day of June, 2014 and the well was plugged and filled in the following manner:

Description	Type	From	To	Casing Pulled	Casing Left
Cement Plug 1	50/50 Poz Cement	7860	7577	None	7,957 ft. 7" Casing
Mechanical Retainer 1	7" WFT PCR Mec Set	7577	7577	None	7,957 ft. 7" Casing
Cement Plug 2	50/50 Poz Cement	7577	7265	None	7,957 ft. 7" Casing
Gel Spacer 1	6% Bentonite Gel	7265	6503	None	7,957 ft. 7" Casing
Cement Plug 3	Class A Cement	6503	6225	None	7,957 ft. 7" Casing
Gel Spacer 2	6% Bentonite Gel	6225	4187	None	7,957 ft. 7" Casing
Cement Plug 4	Class A Cement	4187	3985	None	7,957 ft. 7" Casing
Gel Spacer 3	6% Bentonite Gel	3985	1950	None	7,957 ft. 7" Casing
Mechanical Retainer 2	7" WFT PCR Mec Set	1950	1950	None	7,957 ft. 7" Casing
Cement Plug 5	Class A Cement	1950	1712	None	7,957 ft. 7" Casing
Gel Spacer 4	6% Bentonite Gel	1712	960	None	7,957 ft. 7" Casing
Cement Plug 6	Class A Cement	960	0	None	7,957 ft. 7" Casing
Bullhead Squeeze (9-5/8" Annulus)	Class A Cement	Annulus Squeeze (3,150 ft.)		None	6,405 ft. 9-5/8" Casing

*true and
will try to
all the other
reports to be
included in the
archives
JES*

Description of monument: Steel Subsurface Plate and that the work of plugging and filling said well was completed on the 23 day of July, 2014.

And further deponents saith not.

Sworn and subscribe before me this 23 day of July, 2014

My commission expires: 1/10/22

Christy McDonald
Notary Public



Affidavit reviewed by the Office of Oil and Gas

Title: 8/16/2014 Operator

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

 **COPY**

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: HEARTWOOD FORESTLAND FUND IV LP Operator Well No.: 020170 (RITTER LUMBER 122)

LOCATION: Elevation: 1437' Quadrangle: BAILEYSVILLE 7.5'
District: BAILEYSVILLE County: WYOMING
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION COMPANY
120 PROFESSIONAL PLACE
BRIDGEPORT, WV 26330

Coal Operator WPP, LLC
or Owner 5260 IRWIN ROAD
HUNTINGTON, WV 25705

Received
Office of Oil & Gas

AUG 26 2014

Agent REX C. RAY
Permit Issued Date 05/23/2014

Coal Operator
or Owner

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of KANAWHA ss:

ROGER MCCOMAS and OSWALD WILEY

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14th day of AUGUST, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL HOLE	SURFACE	2771'		
CEMENT	2771'	2600'	PERF: 6 5/8" 2694 - 2689'	
CEMENT	1844'	1586'		
CEMENT	1519'	1249'	PERF: 8 5/8" 1449' - 1444'	PULLED 7" 1759' - 950'
CEMENT	861'	700'	PERF: 8 5/8" 795' - 803'	PULLED 8 5/8" 760' - 932'
CEMENT	579'	440'	PERF: 10 3/4" 509' - 513'	PULLED 10 3/4" 750' - 0'
CEMENT	207'	SURFACE	PERF: 10 3/4" 66' - 68'	


Description of monument: ERECT MONUMENT WITH API: 47-10900382 and that the work of plugging and filling said well was completed on the 14TH day of AUGUST, 2014.

And further deponents saith not.

Roger McComas
Oswald Wiley

Sworn and subscribe before me this 14TH day of AUGUST, 2014

My commission expires: 2/10/2015



Danielle N. Bays
Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title: WRDEP
AS & Gas Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Jones, David Operator Well No.: O.D. Stockley #5

LOCATION: Elevation: 1273 Quadrangle: Newton
District: Henry County: Clay
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS water inj.

easting 0487444
northing 4265846

Company Triad-Hunter LLC
125 Putnam Street
Marietta, Ohio 45750

Coal Operator N/A
or Owner _____

Received
Office of Oil & Gas

Agent Kim Arnold

Coal Operator N/A
or Owner _____

Received AUG 18 2014
Office of Oil & Gas

Permit Issued Date 3-20-2014

AUG 27 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Clay ss:

Rickey Duckworth and Robert Stewart being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 30 day of July, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
cement	2160	1910	1430ft. of 4 1/2	730ft.
cement	1480	1380		
cement	1285	1185		
cement	400	300		
cement	100	0		

Description of monument: 5 in. pipe with API# on attached plate
said well was completed on the 12 day of AUGUST, 2014.

and that the work of plugging and filling

And further deponents saith not.


Rickey Duckworth
Robert A. Stewart

Sworn and subscribe before me this 12 day of AUGUST, 2014

My commission expires: 10-25-2023

Brian Marks

Notary Public



8/22/14

Did Not witness all plugs

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: O'dell, Douglas Operator Well No.: O.D. Stockly #212

LOCATION: Elevation: 1333' Quadrangle: Newton
District: Henry County: Clay
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS water inj.

Easting 0487540
Northing 4265587

Company Triad Hunter, LLC
125 Putnam Street
Marietta, Ohio 45750

Coal Operator N/A
or Owner _____

Agent Kim Arnold

Coal Operator N/A
or Owner _____

Permit Issued Date 2-28-14

Received
Office of Oil & Gas

AUG 27 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Clay ss:

Rickey Duckworth and Robert Stewart being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14 day of August, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
cement	2330	2080	1040 41/2	1290
cement	1070	970		
cement	580	480		
cement	100	0		

Description of monument: 5 in. pipe with API NO. on attached plate
said well was completed on the 19 day of August, 2014.

and that the work of plugging and filling

And further deponents saith not.

Rickey Duckworth
Robert A. Stewart

Sworn and subscribe before me this 19 day of August, 2014

My commission expires: 10-25-2023

Brian Marks
Notary Public

